



19 014 659

COFA

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper or item referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first-class mail in an envelope addressed to Certificate of Corrections Branch, Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450.

Date: 9-23-05

Warren A. Sklar  
Warren A. Sklar

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent No.: 6,937,379 B2  
Applicant: Branimir Simic-Glavaski  
Issue Date: August 30, 2005  
For: MOLECULAR ARCHITECTURE FOR MOLECULAR ELECTRO-  
OPTICAL TRANSISTOR AND SWITCH  
Docket No. SIMI.P0105USA

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO MISTAKE (37 CFR 1.322(a))**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Attention: Certificate of Corrections Branch

**Certificate**  
**SEP 29 2005**  
**of Correction**

Sir:

Request is made for issuance of a certificate of correction to correct PTO mistakes in the printing of the subject patent. Attached hereto in duplicate is form PTO/SB/44 with at least one copy being suitable for printing.

The exact page and line numbers in the application where the correct language is found are:

Page 3, Line 7  
Page 9, Line 11  
Page 14, Line 7  
Page 15, Line 5  
Page 15, Line 15  
Page 15, Line 18  
Page 15, Line 21  
Page 16, Line 17


Page 16, Line 24  
Page 20, Line 30  
Page 30, Line 4  
Page 30, Line 14  
Page 30, Line 14  
Page 32, Line 19  
Page 33, Line 4  
Claim 20, Line 1 (Reply to Office Action dated March 2, 2004)

Please send the Certificate to:

RENNER, OTTO, BOISSELLE & SKLAR, LLP  
1621 Euclid Avenue – Nineteenth Floor  
Cleveland, OH 44115

No fee is believed to be necessary. However, if the errors are found to be those of the applicant, please charge any required fee to Deposit Account No. 18-0988 under the above shown docket number.

Respectfully submitted,

  
\_\_\_\_\_  
Warren A. Sklar, Reg. No. 26,373

WAS/kg

RENNER, OTTO, BOISSELLE & SKLAR, LLP  
1621 Euclid Avenue  
Nineteenth Floor  
Cleveland, OH 44115

(216) 621-1113

Z:\SEC113\WAS\SIMIP105USA\Request for Cert - PTO Mistake.wpd

OCT 8 2005

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,937,379 B2

APPLICATION NO.: 10/014,659

ISSUE DATE : Aug. 30, 2005

INVENTOR(S) : Simic-Glavaski

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Line 39, replace "10<sup>(-5)</sup>" with --10<sup>(-15)</sup>--.  
Column 6, Line 63, replace "calumel a electrode" with --calumel electrode--.  
Column 10, Line 27, replace "I" with --1--.  
Column 11, Line 4, replace "molecule" with --molecules--.  
Column 11, Line 19, replace "phthaiocyanine" with --phthaocyanine--.  
Column 11, Line 26, replace "phlthaiocyanine" with --phthaocyanine--.  
Column 11, Line 29, replace "bathting" with --bathing--.  
Column 12, Line 5, replace "10<sup>(-3)</sup> may" with --10<sup>(-3)</sup> , may--.  
Column 12, Line 14, replace "I" with --1--.  
Column 15, Line 11, replace "the 30 curved" with --the curved--.  
Column 21, Line 37, replace "Hydogen" with --Hydrogen--.  
Column 21, Line 51, replace "dinensional" with --dimensional--.  
Column 21, Line 52, replace "ring-fuised" with --ring-fused--.  
Column 23, Line 19, replace "chiorophyls" with --chlorophyls--.  
Column 23, Line 43, replace "Q" bit" with --Q<sup>(u)</sup> bit--.  
Claim 8, Line 1, replace "quantum" with --quantum--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

RENNER, OTTO, BOISSELLE & SKLAR, LLP  
1621 Euclid Avenue, Nineteenth Floor  
Cleveland, OH 44115

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 3 2005

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,937,379 B2

APPLICATION NO.: 10/014,659

ISSUE DATE : Aug. 30, 2005

INVENTOR(S) : Simic-Glavaski

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Line 39, replace "10<sup>(-5)</sup> " with --10<sup>(-15)</sup>--.  
Column 6, Line 63, replace "calumel a electrode" with --calumel electrode--.  
Column 10, Line 27, replace "I" with --1--.  
Column 11, Line 4, replace "molecule" with --molecules--.  
Column 11, Line 19, replace "phthaiocyanine" with --phthaocyanine--.  
Column 11, Line 26, replace "phlthaiocyanine" with --phthaocyanine--.  
Column 11, Line 29, replace "bathting" with --bathing--.  
Column 12, Line 5, replace "10<sup>(-3)</sup> may" with --10<sup>(-3)</sup> , may--.  
Column 12, Line 14, replace "I" with --1--.  
Column 15, Line 11, replace "the 30 curved" with --the curved--.  
Column 21, Line 37, replace "Hydogen" with --Hydrogen--.  
Column 21, Line 51, replace "dinensional" with --dimensional--.  
Column 21, Line 52, replace "ring-fuised" with --ring-fused--.  
Column 23, Line 19, replace "chiorophyls" with --chlorophyls--.  
Column 23, Line 43, replace "Q" bit" with --Q<sup>(u)</sup> bit--.  
Claim 8, Line 1, replace "quantum" with --quantum--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

RENNER, OTTO, BOISSELLE & SKLAR, LLP  
1621 Euclid Avenue, Nineteenth Floor  
Cleveland, OH 44115

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 3 2005